

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

**SITE NO.** 376    **INV NO.** 1    **IR NO.**    **DATE** 07/12/2010    **INSPECTION TIME**    **INSPECTOR** Railsback, Brian

**SITE INFORMATION**

7-ELEVEN #215  
4404 NW FREEWAY  
WICHITA FALLS TX 76306

**INVENTORY/MANAGER**

Process 1

**SERVICE TYPE/FREQUENCY**

Permit Inspection  
Permit Granted  
Inspected 2 Times per Year

---

---

**Violations: Critical - 1 Non-Critical - 3 Score: 97**

---

---

**CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

---

---

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

---

---

**CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
25	Texas Food Establishment Rules  Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and

<b><u>CODE</u></b>	<b><u>DESCRIPTION</u></b>
	(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment. (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that: (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and
To Wit:	The shelves located in the walkin refrigerator has adhering foreign material.
To Correct:	The shelves located in the walkin refrigerator must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.

---



---

### **NON-CRITICAL VIOLATIONS DETAIL**

<b><u>CODE</u></b>	<b><u>DESCRIPTION</u></b>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Damaged floor tiles must be repaired and replaced
To Wit:	Remove molded card board from vents in walk in.
To Wit:	Trash cans in restroom must have a lid

**I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.**

---

**Brian Railsback, Public Health Officer**

---

**OWNER / MANAGER SIGNATURE**

---

**OWNER / MANAGER PRINT NAME**