

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 654 **INV NO.** 1 **IR NO.** **DATE** 06/16/2010 **INSPECTION TIME** **INSPECTOR** Baxter, Mike

SITE INFORMATION

7-ELEVEN #203
918 SHEPPARD RD
BURKBURNETT TX 76354

INVENTORY/MANAGER

Process 1

SERVICE TYPE/FREQUENCY

Permit Inspection
Permit Granted
Inspected 2 Times per Year

Violations: Critical - 1 Non-Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
18	No Evidence of Insect Contamination	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
18	Texas Food Establishment Rules Pages 126 229.167(p)(11) & (12) (11) Controlling pests. The presence of insects, rodents, and other pests shall be controlled to minimize their presence within the physical facility and its contents, and on the contiguous land or property under the control of the permit holder by: (A) routinely inspecting incoming shipments of food and supplies; (B) routinely inspecting the premises for evidence of pests; (C) using methods, if pests are found, such as trapping devices or other means of pest control as specified under §§229.168(d)(2), (h)(2), and (h)(3)(A) of this title (relating to Poisonous or Toxic Materials); and (D) eliminating harborage conditions. (12) Removing dead or trapped birds, insects, rodents, and other pests. Dead or trapped

CODE DESCRIPTION

birds, insects, rodents, and other pests shall be removed from control devices and the premises at a frequency that prevents their accumulation, decomposition, or the attraction of pests.

To Wit: flies in the store

NON-CRITICAL VIOLATIONS DETAIL**CODE DESCRIPTION**

28 Texas Food Establishment Rules

OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: ceiling tiles above ice machine missing

To Correct: The ceiling tiles must all be in good condition and be in place,

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME