

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 682 **INV NO.** 2 **IR NO.** **DATE** 09/07/2010 **INSPECTION TIME** **INSPECTOR** O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
ALLSUP'S CONV. STORE #71 601 W CLEVELAND ELECTRA TX 76360 940-495-3305	Deli DIXIE MCNEAL	Inspection- Regular Inspected 2 Times per Year

Scheduled calender inspections.

Violations: Critical - 1 Non-Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	Texas Food Establishment Rules Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled;

CODE DESCRIPTION

(ii) by disassembling without the use of tools; or
 (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.
 (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.
 (3) Cleaned in place (CIP) equipment.
 (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:
 (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
 (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: The counter located in the customer service area is cracked, chipped, bent or broken and cannot be properly cleaned and sanitized.

fifth notice

To Correct: The counter located in the customer service area must be free of cracks, chips, bends or breaks to permit it to be properly cleaned and sanitized. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

CODE DESCRIPTION

28 OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: floor needs to be cleaned in grill area

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

 Robbie O'Neal, Public Health Inspector II

 OWNER / MANAGER SIGNATURE

 OWNER / MANAGER PRINT NAME