

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

**SITE NO.** 184    **INV NO.** 1    **IR NO.**    **DATE** 02/20/2012    **INSPECTION TIME**    **INSPECTOR** Railsback, Brian

**SITE INFORMATION**

APPLEBEE'S GRILL & BAR  
2911 KEMP BLVD  
WICHITA FALLS TX 76308  
940-767-5287

**INVENTORY/MANAGER/OWNER**

4 Process 3  
Owner:  
CONCORD NEIGHBORHOOD CORP.  
402-421-2551

**SERVICE TYPE/FREQUENCY**

Inspection- Regular  
Inspected 4 Times per Year

Scheduled calender inspections.

---

---

**Violations:    Critical - 1    Non-Critical - 1    Score: 97**

---

---

**CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

**CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
25	Texas Food Establishment Rules  Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be:

<b><u>CODE</u></b>	<b><u>DESCRIPTION</u></b>
	<p>(A) smooth;</p> <p>(B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;</p> <p>(C) free of sharp internal angles, corners, and crevices;</p> <p>(D) finished to have smooth welds and joints; and</p> <p>(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:</p> <p>(i) without being disassembled;</p> <p>(ii) by disassembling without the use of tools; or</p> <p>(iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.</p> <p>(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.</p> <p>(3) Cleaned in place (CIP) equipment.</p> <p>(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:</p> <p>(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and</p> <p>(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The shelves located in the walkin freezer has adhering food or food particles.
To Correct:	The shelves located in the walkin freezer must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.
To Wit:	The shelves located in the reachin refrigerator is cracked, chipped, bent or broken and cannot be properly cleaned and sanitized.
To Correct:	The shelves located in the reachin refrigerator must be free of cracks, chips, bends or breaks to permit it to be properly cleaned and sanitized. Corrections must be made immediately.

---



---

### **NON-CRITICAL VIOLATIONS DETAIL**

<b><u>CODE</u></b>	<b><u>DESCRIPTION</u></b>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Seals need replaced in refrigerators

---



---