

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 718 **INV NO.** 1 **IR NO.** **DATE** 04/05/2011 **INSPECTION TIME** **INSPECTOR** O'Neal, Robbie

SITE INFORMATION
BEN MILAM ELEMENTARY SCHOOL
2901 BOREN AVE
WICHITA FALLS TX 76308
940-235-1176

INVENTORY/MANAGER
Process 3 - Exempt

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 2 Times per Year

Scheduled calender inspections.

Violations: Critical - 2 Non-Critical - 2 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	Texas Food Establishment Rules Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices;

<u>CODE</u>	<u>DESCRIPTION</u>
	<p>(D) finished to have smooth welds and joints; and</p> <p>(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:</p> <p>(i) without being disassembled;</p> <p>(ii) by disassembling without the use of tools; or</p> <p>(iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.</p> <p>(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.</p> <p>(3) Cleaned in place (CIP) equipment.</p> <p>(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:</p> <p>(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and</p> <p>(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The chest/coffin freezer located in the cashier's area has adhering foreign material.
To Correct:	The chest/coffin freezer located in the cashier's area must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.
To Wit:	The in-use utensils used for preparation or serving in the dry goods are not stored in a manner to prevent contamination of the product.
To Correct:	<p>During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored:</p> <ol style="list-style-type: none"> 1) in the food with handles above the top of the food and the container 2) on a clean portion of the food preparation table or cooking equipment when cleaned and sanitized at the prescribed intervals. 3) in running water of sufficient velocity to wash food particles away. 4) in a clean location if the utensil is used only for a non-potentially hazardous food. 5) in water maintained at 140 degrees F or greater. <p>Corrections must be made immediately.</p>

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	need to clean floor in walkin freezer
To Wit:	paint peeling over three comp sink on ceiling

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME