

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 719 **INV NO.** 1 **IR NO.** **DATE** 01/07/2010 **INSPECTION TIME** **INSPECTOR** Baxter, Mike

SITE INFORMATION
BIBLE BAPTIST SCHOOL
1606 30TH ST
WICHITA FALLS TX 76302
940-723-2446

INVENTORY/MANAGER
Process 2 - Exempt; SCHOOL
KITCHEN

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 3 Times per Year

Violations: Non-Critical - 3 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST. To Wit: no mop sink To Correct: Facility needs to install a mop sink To Wit: household microwave To Correct: The household microwave needs to be replaced with a commercial grade microwave. To Wit: ref. is household To Correct: The ref. is to be replaced with a commercial grade.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 719 **INV NO.** 1 **IR NO.** **DATE** 01/07/2010 **INSPECTION TIME** **INSPECTOR** Baxter, Mike

SITE INFORMATION
BIBLE BAPTIST SCHOOL
1606 30TH ST
WICHITA FALLS TX 76302
940-723-2446

INVENTORY/MANAGER
Process 2 - Exempt; SCHOOL
KITCHEN

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 3 Times per Year

Violations: Non-Critical - 3 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST. To Wit: no mop sink To Correct: Facility needs to install a mop sink To Wit: household microwave To Correct: The household microwave needs to be replaced with a commercial grade microwave. To Wit: ref. is household To Correct: The ref. is to be replaced with a commercial grade.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME