

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
 Public Health District  
 1700 Third Street  
 Wichita Falls, TX 76301  
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
7203	1		10/19/2010		O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
BOTTOMS UP NITE CLUB 311 E SCOTT AVE WICHITA FALLS TX 76301 940-766-0026	Process I	Permit Inspection Permit Granted Inspected 3 Times per Year

---

**Violations: Critical - 2 Non-Critical - 1 Score: 94**

---

**CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____
26	Posting Consumer Advisories- Heimlich/Raw Shellfish/Bufferet	3	_____

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

**CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
24	<p>Texas Food Establishment Rules</p> <p>Page 77            §229.165(e)            (e) Accuracy of temperature measuring devices, food.            (1) Temperature measuring device, food.            (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to <math>\pm 1</math> degrees Celsius in the intended range of use.            (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to <math>\pm 2</math> degrees Fahrenheit in the intended range of use.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
	(2) Temperature measuring devices, ambient air and water. #24 78 §229.165(e) §229.165(f) (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to $\pm 1.5$ degrees Celsius in the intended range of use. (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to $\pm 3$ degrees Fahrenheit in the intended range of use.
To Wit:	The reachin refrigerator in the customer service area did not have a readily available and visible thermometer.
To Correct:	The reachin refrigerator in the customer service area must have a readily available and visible thermometer. Corrections must be made within 7 days.
26	Pages 37, 55 & 154 229.164(h); (r) & 173(b) - A card, sign or other effective means of notification shall be displayed to notify customers that clean tableware is to be used upon return to self-service areas. Food establishments which deliver shellfish to a consumer for raw consumption shall inform consumers of the significantly increased risk associated with certain especially vulnerable consumers eating such shellfish in raw or undercooked form. The Heimlich Maneuver Poster shall be in all food service establishments in a place conspicuous to employees or customers.
To Wit:	The Heimlich Maneuver poster is not conspicuously displayed in the facility.
To Correct:	The Heimlich Maneuver poster must be conspicuously displayed in the facility. Corrections must be made within 7 days.

---



---

### NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	need a covered trash can in womens restroom

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Robbie O'Neal, Public Health Inspector II

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME