

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
68	4		12/19/2011		Railsback, Brian

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
BRAUM'S ICE CREAM #164 2304 KEMP BLVD WICHITA FALLS TX 76309 940-766-0789	Process 3; UPGRADED 12/1/2011	Permit Inspection Permit Granted Inspected 3 Times per Year

---

**Violations: Critical - 2 Non-Critical - 1 Score: 94**

---

## CRITICAL VIOLATIONS SUMMARY

CODE	DESCRIPTION	POINTS	CORRECTED
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	12/19/2011
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

## NON-CRITICAL VIOLATIONS SUMMARY

CODE	DESCRIPTION	POINTS	CORRECTED
28	OTHER VIOLATIONS	0	_____

## CRITICAL VIOLATIONS DETAIL

CODE	DESCRIPTION
24	<p>Texas Food Establishment Rules</p> <p>Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to <math>\pm 1</math> degrees Celsius in the intended range of use. (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to <math>\pm 2</math> degrees Fahrenheit in the intended range of use.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
	<p>(2) Temperature measuring devices, ambient air and water.            #24            78            §229.165(e) §229.165(f)            (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to <math>\pm 1.5</math> degrees Celsius in the intended range of use.            (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to <math>\pm 3</math> degrees Fahrenheit in the intended range of use.</p>
To Wit:	The chest/coffin freezer in the kitchen did not have a readily available and visible thermometer. (Corrected 12/19/11)
To Correct:	The chest/coffin freezer in the kitchen must have a readily available and visible thermometer. Corrections must be made within 7 days.
25	<p>Page 76            §229.165(d)            (d) Cleanability.            (1) Food-contact surfaces. Multiuse food-contact surfaces shall be:            (A) smooth;            (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;            (C) free of sharp internal angles, corners, and crevices;            (D) finished to have smooth welds and joints; and            (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:            (i) without being disassembled;            (ii) by disassembling without the use of tools; or            (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.            (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.            (3) Cleaned in place (CIP) equipment.            (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:            (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and            (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The microwave oven located in the kitchen has adhering food or food particles. Also clean tops of equipment
To Correct:	The microwave oven located in the kitchen must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

**NON-CRITICAL VIOLATIONS DETAIL**

<b><u>CODE</u></b>	<b><u>DESCRIPTION</u></b>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Clean floors in walk in

---

**I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.**

\_\_\_\_\_  
**Brian Railsback, Public Health Officer**

\_\_\_\_\_  
**OWNER / MANAGER SIGNATURE**

\_\_\_\_\_  
**OWNER / MANAGER PRINT NAME**