

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
 Public Health District  
 1700 Third Street  
 Wichita Falls, TX 76301  
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
5904	1		02/04/2010		Baxter, Mike

**SITE INFORMATION**  
 CHICKEN EXPRESS  
 1006 S RED RIVER EXP  
 BURKBURNETT TX 76354  
 940-569-2054

**INVENTORY/MANAGER**  
 Process 2

**SERVICE TYPE/FREQUENCY**  
 Inspection- Regular  
 Inspected 3 Times per Year

---



---

**Violations: Non-Critical - 1    Score: 100**

---



---

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

---



---

**NON-CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules  OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	walk in freezer ceiling covered in ice
To Correct:	The walk in freezer needs to be defrosted and possibly serviced. There is ice forming on wall and ceiling

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Mike Baxter, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
 Public Health District  
 1700 Third Street  
 Wichita Falls, TX 76301  
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
5904	1		02/04/2010		Baxter, Mike

**SITE INFORMATION**  
 CHICKEN EXPRESS  
 1006 S RED RIVER EXP  
 BURKBURNETT TX 76354  
 940-569-2054

**INVENTORY/MANAGER**  
 Process 2

**SERVICE TYPE/FREQUENCY**  
 Inspection- Regular  
 Inspected 3 Times per Year

---



---

**Violations: Non-Critical - 1    Score: 100**

---



---

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

---



---

**NON-CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules  OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	walk in freezer ceiling covered in ice
To Correct:	The walk in freezer needs to be defrosted and possibly serviced. There is ice forming on wall and ceiling

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Mike Baxter, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME