

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6553	1		08/31/2010		McKenzie, Suzanne

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
THE CHILDRENS LEARNING 4415 WESTGATE WICHITA FALLS TX 76308 940-631-0450	Process 2	Inspection- Regular Inspected 3 Times per Year

Scheduled calender inspections.

Violations: Critical - 3 Score: 89

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
2	Cold Hold (41/45 degrees F)	5	08/31/2010
16	Handwash Facilities Adequate & Access	3	08/31/2010
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	08/31/2010

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
2	<p>Texas food Establishment Rules</p> <p>Page 60 §229.164(o)(6) Potentially hazardous food, hot and cold holding. Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under paragraph (9) of this subsection, and except as specified in subparagraph (B) of this paragraph, potentially hazardous food shall be maintained:</p> <p>(A) at 57 degrees Celsius (135 degrees Fahrenheit) or above, except that roasts cooked to a temperature and for a time specified in subsection (k)(1)(B) of this section or reheated as specified in subsection (m)(2)(E) of this section may be held at a temperature of 54 degrees Celsius (130 degrees Fahrenheit) or above; or</p> <p>(B) at a temperature specified in the following: (i) 5 degrees Celsius (41 degrees Fahrenheit) or less; or (ii) 7 degrees Celsius (45 degrees Fahrenheit) or less in countertop, under-counter and</p>

CODE **DESCRIPTION**

open-top refrigeration units located in the food preparation area that were in use prior to October 6, 2003, provided the food is date marked as specified in paragraphs (7)-(9) of this subsection.

(C) Shell eggs that have not been treated to destroy all viable *Salmonellae* shall be stored in refrigerated equipment that maintains an ambient air temperature of 7 degrees Celsius (45 degrees Fahrenheit) or less.

To Wit: The corn is in/on the counter at an internal temperature of 75 to 79 degrees F and is not being maintained at 41/45 degrees F or below after cooling for 03 hours. (Corrected 08/31/10)

To Correct: Discard the corn that is/are not being maintained at 41/45 degrees F or below. Corrections must be made immediately.

16 Texas Food Establishment Rules

Page 107

§229.166

(h) Plumbing, location and placement.

(1) Handwashing facilities. A handwashing facility shall be located:

(A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and

(B) in, or immediately adjacent to, toilet rooms.

To Wit: The handwashing sink in the food preparation area is used for purposes other than handwashing. (Corrected 08/31/10)

To Correct: The handwashing sink in the food preparation area must not be used for purposes other than handwashing. Corrections must be made immediately.

25 Texas Food Establishment Rules

Page 76

§229.165(d)

(d) Cleanability.

(1) Food-contact surfaces. Multiuse food-contact surfaces shall be:

(A) smooth;

(B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;

(C) free of sharp internal angles, corners, and crevices;

(D) finished to have smooth welds and joints; and

(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:

(i) without being disassembled;

(ii) by disassembling without the use of tools; or

(iii) by easy disassembling with the use of handheld tools

commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and

wrenches.

(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.

(3) Cleaned in place (CIP) equipment.

CODE**DESCRIPTION**

(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:

(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and

(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: The can opener located in the food preparation area has adhering food or food particles. (Corrected 08/31/10)

To Correct: The can opener located in the food preparation area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME