

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
774	1		03/08/2010		Railsback, Brian

SITE INFORMATION

CITY VIEW HIGH SCHOOL
 1600 CITY VIEW DR
 WICHITA FALLS TX 76306
 940-855-4042 Fax 940-851-8889

INVENTORY/MANAGER

Process 3 - Exempt

SERVICE TYPE/FREQUENCY

Inspection- Regular
 Inspected 2 Times per Year

Violations: Non-Critical - 2 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	03/08/2010
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Non commercial warmer must be removed from kitchen (Corrected 03/08/10)
To Wit:	Non commercial microwaves must be replaced with commercial equipment when they go out

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME