

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6781	1		05/09/2011		O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
DAIRY QUEEN RESTAURANT 3112 KEMP BLVD WICHITA FALLS TX 76308 940-264-9907 Fax 940-691-7840	Process 3	Inspection- Regular Inspected 4 Times per Year

Scheduled calender inspections.

Violations: Critical - 1 Non-Critical - 2 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	<p>Texas Food Establishment Rules</p> <p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and</p>

CODE **DESCRIPTION**

inspection by one of the following methods:

- (i) without being disassembled;
- (ii) by disassembling without the use of tools; or
- (iii) by easy disassembling with the use of handheld tools

commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.

(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.

(3) Cleaned in place (CIP) equipment.

(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:

- (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
- (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: The reachin refrigerator located in the customer service area has adhering food or food particles.

To Correct: The reachin refrigerator located in the customer service area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL**CODE** **DESCRIPTION**

28 OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: need bug strip for back door / second notice

To Wit: need to clean floor - - - walk-in freezer

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME