

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 6000 **INV NO.** 1 **IR NO.** **DATE** 09/30/2011 **INSPECTION TIME** **INSPECTOR** Railsback, Brian

SITE INFORMATION

DAYS INN & SUITES
4500 KELL BLVD
WICHITA FALLS TX 76309
940-691-4200 Fax 940-691-4201

INVENTORY/MANAGER

Process 1

SERVICE TYPE/FREQUENCY

Permit Inspection
Permit Granted
Inspected 2 Times per Year

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

CODE	DESCRIPTION	POINTS	CORRECTED
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____

CRITICAL VIOLATIONS DETAIL

CODE	DESCRIPTION
24	Texas Food Establishment Rules Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ±1 degrees Celsius in the intended range of use. (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ±2 degrees Fahrenheit in the intended range of use. (2) Temperature measuring devices, ambient air and water. #24 78 §229.165(e) §229.165(f) (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ±1.5 degrees Celsius in the intended range of use. (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ±3 degrees Fahrenheit in the intended range of use.

CODE **DESCRIPTION**

To Wit: The reachin refrigerator in the kitchen did not have a readily available and visible thermometer.

To Correct: The reachin refrigerator in the kitchen must have a readily available and visible thermometer. Corrections must be made within 7 days.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME