

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 406 **INV NO.** 1 **IR NO.** **DATE** 03/24/2010 **INSPECTION TIME** **INSPECTOR** Railsback, Brian

SITE INFORMATION

DOUBLE A LOUNGE
5300 CENTRAL FRWY # N
WICHITA FALLS TX 76306
940-855-3577

INVENTORY/MANAGER

Process I
ALEX AMAYA

SERVICE TYPE/FREQUENCY

Permit Inspection
Permit Granted
two Inspection per Year

Violations: Critical - 3 Non-Critical - 5 Score: 91

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____
26	Posting Consumer Advisories- Heimlich/Raw Shellfish/Bufferet	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
24	<p>Texas Food Establishment Rules</p> <p>Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use. (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use. (2) Temperature measuring devices, ambient air and water. #24 78 §229.165(e) §229.165(f) (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use. (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.</p> <p>To Wit: The beer cooler in the bar did not have a readily available and visible thermometer.</p> <p>To Correct: The beer cooler in the bar must have a readily available and visible thermometer. Corrections must be made within 14 days.</p>
25	<p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment. (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that: (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and (ii) the system is self-draining or capable of being completely drained of cleaning and</p>

<u>CODE</u>	<u>DESCRIPTION</u>
	sanitizing solutions; and
To Wit:	The beer cooler located in the bar has adhering foreign material.
To Correct:	The beer cooler located in the bar must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.
26	Pages 37, 55 & 154 229.164(h); (r) & 173(b) - A card, sign or other effective means of notification shall be displayed to notify customers that clean tableware is to be used upon return to self-service areas. Food establishments which deliver shellfish to a consumer for raw consumption shall inform consumers of the significantly increased risk associated with certain especially vulnerable consumers eating such shellfish in raw or undercooked form. The Heimlich Maneuver Poster shall be in all food service establishments in a place conspicuous to employees or customers.
To Wit:	The Heimlich Maneuver poster is not conspicuously displayed in the facility.
To Correct:	The Heimlich Maneuver poster must be conspicuously displayed in the facility. Corrections must be made within 14 days.

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	3 compartment sink in back room is dirty and must be cleaned to wash, rinse and sanitize glasses
To Wit:	Remove food from walk in, beer and drinks only
To Wit:	Front and back door needs sealed at bottom of doors.
To Wit:	Remove toaster oven, warmer table and crock pot from establishment.
To Wit:	Seal floors in bar area and back dishwashing room

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME