

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
201	1		02/17/2012		McKenzie, Suzanne

SITE INFORMATION	INVENTORY/MANAGER/OWNER	SERVICE TYPE/FREQUENCY
EL NORTENO 110 N BURNETT WICHITA FALLS TX 76306 940-767-9745	4 Process 3 Owner: ARMANDO LUEVANO	Inspection- Regular Inspected 4 Times per Year

Scheduled calender inspections.

Violations: Critical - 3 Non-Critical - 1 Score: 89

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
1	Proper Cooling of Cooked/Prepared Foods	5	02/17/2012
21	Manual/Mechanical Warewashing & Sanitizing @ ____ ppm/Temp.	3	02/17/2012
23	Approved sewage	3	02/17/2012

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
1	<p>Texas food Establishment Rules</p> <p>Page 58 §229.164(o)(4) Cooling. (A) Cooked potentially hazardous food shall be cooled: (i) within two hours, from 57 degrees Celsius (135 degrees Fahrenheit) to 21 degrees C (70 degrees Fahrenheit); and (ii) within a total of six hours, from 57 degrees Celsius (135 degrees Fahrenheit) to 5 degrees Celsius (41 degrees Fahrenheit) or less as specified in paragraph (6)(B)(i) of this subsection, or to 7 degrees Celsius (45 degrees Fahrenheit) or less as specified in paragraph (6)(B)(ii) of this subsection.</p> <p>(B) Potentially hazardous food shall be cooled within four hours to 5 degrees Celsius (41 degrees Fahrenheit) or less, or to 7 degrees Celsius (45 degrees Fahrenheit) or less as specified in paragraph (6)(B) of this subsection if prepared from ingredients at ambient temperature, such as reconstituted foods and canned tuna.</p> <p>(C) Except as specified in subparagraph (D) of this paragraph, a potentially hazardous food received in compliance with laws allowing a temperature above 5 degrees Celsius (41 degrees Fahrenheit) during shipment from the supplier as specified in subsection (c)(1)(B) of this section, shall be cooled within four hours to 5 degrees Celsius (41degrees Fahrenheit) or less, or to 7 degrees Celsius (45 degrees Fahrenheit) or less as specified in paragraph (6)(B) of this subsection.</p> <p>(D) Raw shell eggs shall be received as specified under subsection (c)(1)(C) of this section and immediately placed in refrigerated equipment that maintains an ambient air temperature of 7 degrees Celsius (45 degrees Fahrenheit) or less.</p> <p>To Wit: The chicken, pork. and salsa is in/on the counter at a temperature of 85 to 89 degrees F after cooling for 02 hours. (Corrected 02/17/12)</p> <p>To Correct: Discard the chicken, pork. and salsa that did not reach 41/45 degrees F within 4 hours after reaching 70 degrees F . Corrections must be made immediately.</p>
21	<p>Texas Food Establishment Rules</p> <p>TFER 229.165(k) thru 229.165(y) The wash compartment of the sink shall, when used for washing, contain a wash solution mixed according to manufacturer's label instructions. The temperature of the wash solution shall be maintained at not less than 43 degrees C (110 degrees F) unless specified differently by the manufacturer of the washing agent. If a detergent-sanitizer is used without a hot water rinse, the same agent must be used in both the cleaning and sanitizing steps. A chemical sanitizer used in a sanitizing solution shall be used in accordance with EPA approved manufacturer's label use instructions. If hot water is used for sanitizing, the temperature of the water shall be maintained at 77 degrees C (171 degrees F) or above. Warewashing machines, manufacturers' operating instructions. A warewashing machine and its auxiliary components shall be operated in accordance with the machine's data plate and other manufacturer's instructions. A warewashing machine's conveyor speed or automatic cycle times shall be maintained accurately timed in accordance with manufacturer's specifications. Mechanical warewashing equipment, hot water sanitization temperatures.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

Except as specified in subparagraph (B) of this paragraph, in a mechanical operation, the temperature of the fresh hot water sanitizing rinse as it enters the manifold may not be more than 90 degrees Celsius (194 degrees Fahrenheit), or less than:

for a stationary rack, single temperature machine, 74 degrees Celsius (165 degrees Fahrenheit); or

for all other machines, 82 degrees Celsius (180 degrees Fahrenheit).

The maximum temperature specified under subparagraph (A) of this paragraph does not apply to the high pressure and temperature systems with wand-type, hand-held spraying devices used for the in-place cleaning and sanitizing of equipment such as meat saws. Mechanical warewashing equipment, sanitization pressure.

The flow pressure of the fresh hot water sanitizing rinse in a warewashing machine may not be less than 100 kilopascals (15 pounds per square inch) or more than 170 kilopascals (25 pounds per square inch) as measured in the water line immediately downstream or upstream from the fresh hot water sanitizing rinse control valve.

To Wit: The bleach used as the sanitizer in the dishwasher machine area is at an inadequate concentration of 0 to sanitize equipment and utensils. (Corrected 02/17/12)

To Correct: The bleach used as the sanitizer in the dishwasher machine area must be at a concentration of > 50ppm bleach or >200 ppm quaternary ammonium compound to sanitize equipment and utensils. Corrections must be made immediately.

23

Page 113

§229.166(k) Disposal facility.

(1) Approved sewage disposal system. Sewage shall be disposed through an approved facility that is:

(A) a public sewage treatment plant; or

(B) an individual sewage disposal system that is sized, constructed, maintained, and operated according to law.

(2) Other liquid wastes and rainwater. Condensate drainage and other nonsewage liquids and rainwater shall be drained from point of discharge to disposal according to law.

To Wit: There is a leak under the 3 compartment sink in the kitchen. Need to repair. (Corrected 02/17/12)

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
----	--

To Wit: Work rags must be kept in a sanitizing solution at all times when not in use.