

Food Establishment Inspection Report

Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6891	2		09/27/2011		McKenzie, Suzanne

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
ESPRESSOS 2 GO 900 8TH STREET # 111 WICHITA FALLS TX 76301 940-687-6133	Process 2	Inspection- Regular Inspected 3 Times per Year

Scheduled calendar inspections.

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
16	Handwash Facilities Adequate & Access	3	09/27/2011

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
16	<p>Texas Food Establishment Rules</p> <p>Page 107 §229.166 (h) Plumbing, location and placement. (1) Handwashing facilities. A handwashing facility shall be located: (A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and (B) in, or immediately adjacent to, toilet rooms.</p> <p>To Wit: The handwashing sink in the customer service area is used for purposes other than handwashing. (Corrected 09/27/11)</p> <p>To Correct: The handwashing sink in the customer service area must not be used for purposes other than handwashing. Corrections must be made immediately.</p>

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME