

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
401	1		05/18/2010		Baxter, Mike

SITE INFORMATION
 FAIN POOL CONCESSION
 4745 1/2 ALAMO
 WICHITA FALLS TX 76302
 940-322-7748

INVENTORY/MANAGER
 Process I
 RANA BROWN

SERVICE TYPE/FREQUENCY
 Permit Inspection
 Permit Granted
 Inspected 2 Times per Year

Violations: Non-Critical - 2 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	no mop sink
To Correct:	Need to install mop sink
To Wit:	household refrigerator
To Correct:	The refrigerator is household and needs to be replaced with a commercial refrigerator.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME