

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6935	2		11/09/2011		McKenzie, Suzanne

SITE INFORMATION
FARRIS HEADSTART
710 OLD BURK RD
WICHITA FALLS TX 76306
940-235-4302

INVENTORY/MANAGER
Process 3 - Exempt; WFISD
HEADSTART 08/2011

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 3 Times per Year

Scheduled calendar inspections.

Violations: Critical - 1 Score: 95

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
2	Cold Hold (41/45 degrees F)	5	11/09/2011

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
2	<p>Texas food Establishment Rules</p> <p>Page 60 §229.164(o)(6) Potentially hazardous food, hot and cold holding. Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under paragraph (9) of this subsection, and except as specified in subparagraph (B) of this paragraph, potentially hazardous food shall be maintained:</p> <p>(A) at 57 degrees Celsius (135 degrees Fahrenheit) or above, except that roasts cooked to a temperature and for a time specified in subsection (k)(1)(B) of this section or reheated as specified in subsection (m)(2)(E) of this section may be held at a temperature of 54 degrees Celsius (130 degrees Fahrenheit) or above; or</p> <p>(B) at a temperature specified in the following: (i) 5 degrees Celsius (41 degrees Fahrenheit) or less; or (ii) 7 degrees Celsius (45 degrees Fahrenheit) or less in countertop, under-counter and open-top refrigeration units located in the food preparation area that were in use prior to October 6, 2003, provided the food is date marked as specified in paragraphs (7)-(9) of this subsection.</p> <p>(C) Shell eggs that have not been treated to destroy all viable Salmonellae shall be stored in refrigerated equipment that maintains an ambient air temperature of 7 degrees Celsius (45 degrees Fahrenheit) or less.</p>

CODE **DESCRIPTION**

To Wit: The milk and cut oranges is at room temperature with an internal temperature of 48 degrees milk/ 68 degrees oranges and is not being maintained at 41/45 degrees F or below. (Corrected 11/09/11)

To Correct: Discard the milk and cut oranges that is not being maintained at 41/45 degrees F or below. Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME