

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
210	2		03/05/2010		Baxter, Mike

## SITE INFORMATION

FAS-PAC  
1201 E CENTRAL EXP  
WICHITA FALLS TX 76302  
940-767-2040 Fax 940-767-1844

## INVENTORY/MANAGER

Deli

## SERVICE TYPE/FREQUENCY

Inspection- Regular  
Inspected 2 Times per Year

---



---

**Violations: Non-Critical - 3    Score: 100**

---



---

## NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

---



---

## NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	household microwave
To Correct:	The microwave should be replaced with one which is commercial grade.
To Wit:	no mop sink
To Correct:	Need to install a mop sink
To Wit:	broken tank lid on toilet in mens rest room
To Correct:	The broken lid on the toilet tank in the mens rest room needs to be replaced .

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Mike Baxter, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME