

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
5368	1		02/04/2010		Baxter, Mike

SITE INFORMATION
 FIRST CHRISTIAN CHURCH
 214 N AVE D
 BURKBURNETT TX 76354
 940-569-2062

INVENTORY/MANAGER
 Process 2 - Exempt

SERVICE TYPE/FREQUENCY
 Inspection- Regular
 Inspected 3 Times per Year

Violations: Non-Critical - 1 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	microwaves and refrigerators are household grade
To Correct:	When microwaves and refrigerators are replaced they are to be replaced with commercial equipment.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
5368	1		02/04/2010		Baxter, Mike

SITE INFORMATION
 FIRST CHRISTIAN CHURCH
 214 N AVE D
 BURKBURNETT TX 76354
 940-569-2062

INVENTORY/MANAGER
 Process 2 - Exempt

SERVICE TYPE/FREQUENCY
 Inspection- Regular
 Inspected 3 Times per Year

Violations: Non-Critical - 1 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	microwaves and refrigerators are household grade
To Correct:	When microwaves and refrigerators are replaced they are to be replaced with commercial equipment.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME