

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6480	4		02/27/2012		Baxter, Mike

SITE INFORMATION

FRED'S DINER
 902 BROAD ST
 WICHITA FALLS TX 76301
 940-720-0038

INVENTORY/MANAGER/OWNER

4 Process 3; NEW OWNER, 11-10-2011
 Owner:
 FREDDIE RANGEL
 940-720-0038

SERVICE TYPE/FREQUENCY

Inspection- Regular
 Inspected 3 Times per Year

Scheduled calendar inspections.

Violations: Critical - 4 Score: 88

CRITICAL VIOLATIONS DETAIL

CODE	DESCRIPTION
15	Texas Food Establishment Rules 229.165(g)(1) - Page 84 (g) Equipment, numbers and capacities. (1) Cooling, heating, and holding capacities. Equipment for cooling and heating food, and holding cold and hot food, shall be sufficient in number and capacity to provide food temperatures as specified under §229.164 of this title.
To Wit:	no working freezer in the kitchen area
17	Page 122 §229.167 (e) Handwashing facilities. (1) Minimum number. Handwashing facilities shall be provided as specified under §229.166(g)(1) of this title. (2) Handwashing cleanser, availability. Each handwashing lavatory or group of 2 adjacent lavatories shall be provided with a supply of hand cleaning liquid, powder, or bar soap.

CODE**DESCRIPTION**

(3) Hand drying provision. Each handwashing lavatory or group of adjacent lavatories shall be provided with:
 (A) individual, disposable towels;
 (B) a continuous towel system that supplies the user with a clean towel; or
 (C) a heated-air hand drying device.

To Wit: no hand towels at any of the hand wash sinks

24 Texas Food Establishment Rules

Page 77

§229.165(e)

(e) Accuracy of temperature measuring devices, food.

(1) Temperature measuring device, food.

(A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use.

(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use.

(2) Temperature measuring devices, ambient air and water.

#24

78

§229.165(e) §229.165(f)

(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use.

(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.

To Wit: reach in refrigerators to have thermometers - 2 of them had no thermometers

25

Page 76

§229.165(d)

(d) Cleanability.

(1) Food-contact surfaces. Multiuse food-contact surfaces shall be:

(A) smooth;

(B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;

(C) free of sharp internal angles, corners, and crevices;

(D) finished to have smooth welds and joints; and

(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:

(i) without being disassembled;

(ii) by disassembling without the use of tools; or

(iii) by easy disassembling with the use of handheld tools

commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.

(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.

(3) Cleaned in place (CIP) equipment.

(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this

CODE

DESCRIPTION

subsection and shall be designed and constructed so that:

- (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
- (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: microwave was dirty

To Correct: corrected
