

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
 Public Health District  
 1700 Third Street  
 Wichita Falls, TX 76301  
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6136	1		02/19/2010		Railsback, Brian

**SITE INFORMATION**  
 HEIDI'S CORNER #2  
 1621 ENTERPRISE ST  
 WICHITA FALLS TX 76306  
 940-851-6952

**INVENTORY/MANAGER**  
 Process 3

**SERVICE TYPE/FREQUENCY**  
 Permit Inspection  
 Permit Granted  
 Inspected 3 Times per Year

---



---

**Violations: Non-Critical - 2    Score: 100**

---



---

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

---



---

**NON-CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Non commercial microwave and toaster must be replace with approved commercial equipment when non commercial equipment needs to be replaced
To Wit:	A section of floor in the kitchen and dish wash room is damaged.
To Correct:	Floors must be repaired so floors can be properly cleaned and sanitized.

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Brian Railsback, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME