

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 6136 **INV NO.** 1 **IR NO.** **DATE** 06/18/2010 **INSPECTION TIME** **INSPECTOR** Railsback, Brian

SITE INFORMATION
HEIDI'S CORNER #2
1621 ENTERPRISE ST
WICHITA FALLS TX 76306
940-851-6952

INVENTORY/MANAGER
Process 3

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 3 Times per Year

Violations: Non-Critical - 2 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Floor must be repaired in the kitchen in 90 days or further action will be taken by the health department
To Wit:	Non commercial microwave and toaster
To Correct:	All equipment in the kitchen must be approved commercial equipment

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME