

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
472	1		09/16/2011		Baxter, Mike

SITE INFORMATION

HIBISCUS CAFÉ
 1616 PEARLIE DR
 WICHITA FALLS TX 76306
 940-855-5881

INVENTORY/MANAGER

Process 3
 STILIANI PANAGIOTARAKOS

SERVICE TYPE/FREQUENCY

Inspection- Regular
 Inspected 4 Times per Year

Scheduled calendar inspections.

Violations: Non-Critical - 1 Score: 100

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	household microwaves
To Correct:	The household microwaves are to be replaced with commercial microwaves. They have been advised in the past that when these are replaced they are to be replaced with commercial grade equipment.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME