

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
 Public Health District  
 1700 Third Street  
 Wichita Falls, TX 76301  
 940-761-7800

| SITE NO. | INV NO. | IR NO. | DATE       | INSPECTION TIME | INSPECTOR        |
|----------|---------|--------|------------|-----------------|------------------|
| 472      | 1       |        | 02/19/2010 |                 | Railsback, Brian |

**SITE INFORMATION**

HIBISCUS CAFÉ  
 1616 PEARLIE DR  
 WICHITA FALLS TX 76306  
 940-855-5881

**INVENTORY/MANAGER**

Process 3  
 STILIANI PANAGIOTARAKOS

**SERVICE TYPE/FREQUENCY**

Inspection- Regular  
 Inspected 4 Times per Year

---



---

**Violations: Non-Critical - 2    Score: 100**

---



---

**NON-CRITICAL VIOLATIONS SUMMARY**

| <u>CODE</u> | <u>DESCRIPTION</u> | <u>POINTS</u> | <u>CORRECTED</u> |
|-------------|--------------------|---------------|------------------|
| 28          | OTHER VIOLATIONS   | 0             | _____            |
| 28          | OTHER VIOLATIONS   | 0             | _____            |

---



---

**NON-CRITICAL VIOLATIONS DETAIL**

| <u>CODE</u> | <u>DESCRIPTION</u>   |
|-------------|--|
| 28          | Texas Food Establishment Rules   |
|             | OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.                 |
| To Wit:     | Non commercial equipment must be replace with approved commercial equipment when non commercial equipment needs to be replaced |
| To Wit:     | No mop sink  |
| To Correct: | Must install mop sink  |

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Brian Railsback, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME