

Food Establishment Inspection Report

Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
133	1		02/28/2011		McKenzie, Suzanne

SITE INFORMATION

HOWARD JOHNSON PLAZA HOTEL
401 BROAD
WICHITA FALLS TX 76301
940-766-6000 Ext 661 Fax 940-766-5942

INVENTORY/MANAGER

Process 3; PLAZA CAFE
clyde katzaman

SERVICE TYPE/FREQUENCY

Inspection- Regular
Inspected 4 Times per Year

Scheduled calendar inspections.

Violations: Critical - 1 Non-Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	02/28/2011

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	02/28/2011

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	<p>Texas Food Establishment Rules</p> <p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled;</p>

<u>CODE</u>	<u>DESCRIPTION</u>
	<p>(ii) by disassembling without the use of tools; or</p> <p>(iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.</p> <p>(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.</p> <p>(3) Cleaned in place (CIP) equipment.</p> <p>(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:</p> <p>(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and</p> <p>(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The ketchup bottles dirty, can opener ovens and toaster located in the food preparation area has adhering food or food particles. (Corrected 02/28/11)
To Correct:	The ketchup bottles dirty, can opener ovens and toaster located in the food preparation area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.
To Wit:	The ice cream box lid needs to be replaced it is damaged located in the food service/dispensing area is cracked, chipped, bent or broken and cannot be properly cleaned and sanitized. (Corrected 02/28/11)
To Correct:	The ice cream box lid needs to be replaced it is damaged located in the food service/dispensing area must be free of cracks, chips, bends or breaks to permit it to be properly cleaned and sanitized. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Need to regROUT tiles and replace missing tiles. (Corrected 02/28/11)
To Wit:	Water leak by tilt skillet and kettle (Corrected 02/28/11)
To Wit:	Non commercial microwave. (Corrected 02/28/11)

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME