

Food Establishment Inspection Report



Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6853	9		01/04/2012		McKenzie, Suzanne

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
IRON STAR BBQ 4604 JOHNSON RD WICHITA FALLS TX 76310 940-692-0055	Process 2 Mobile; PROCESS 2 MOBILE	Inspection- Regular Inspected 4 Times per Year

Scheduled calender inspections.

Violations: Critical - 1 Non-Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	01/04/2012

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	01/04/2012

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	Texas Food Establishment Rules Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or

CODE DESCRIPTION

(iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.
(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.
(3) Cleaned in place (CIP) equipment.
(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:
(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: The RIIF. fryers, and ovens located in the food preparation area has adhering food or food particles. (Corrected 01/04/12)

To Correct: The RIIF. fryers, and ovens located in the food preparation area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

CODE DESCRIPTION

28 OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: Three compartment sink faucet is broken plumber on his way out. (Corrected 01/04/12)

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME