

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 4913 **INV NO.** 1 **IR NO.** **DATE** 03/30/2010 **INSPECTION TIME** **INSPECTOR** Railsback, Brian

SITE INFORMATION

IT'LL DO BAR
1415A OLD IOWA PARK RD
WICHITA FALLS TX 76306
940-322-0631

INVENTORY/MANAGER

Process I

SERVICE TYPE/FREQUENCY

Permit Inspection
Permit Granted
two Inspection per Year

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
16	Handwash Facilities Adequate & Access	3	_____

CRITICAL VIOLATIONS DETAIL

CODE **DESCRIPTION**

16 Texas Food Establishment Rules

Page 107

§229.166

(h) Plumbing, location and placement.

(1) Handwashing facilities. A handwashing facility shall be located:

(A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and

(B) in, or immediately adjacent to, toilet rooms.

To Wit: There are inadequate handwashing sinks available in the bar.

To Correct: There must be adequate handwashing sinks available in the bar. Corrections must be made within 90 days.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME