

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

**SITE NO.** 7208    **INV NO.** 1    **IR NO.**    **DATE** 06/06/2011    **INSPECTION TIME**    **INSPECTOR** McKenzie, Suzanne

**SITE INFORMATION**  
JOE'S SMOKEHOUSE  
506 FILLMORE  
WICHITA FALLS TX 76301  
940-867-7458

**INVENTORY/MANAGER**  
Process 2 Mobile

**SERVICE TYPE/FREQUENCY**  
Inspection- Regular  
Inspected 3 Times per Year

Scheduled calendar inspections.

---

---

**Violations:    Critical - 3    Non-Critical - 1    Score: 90**

---

---

### CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
13	Approved Systems (Time as Public Hlth Control/HACCP Plan)	4	06/06/2011
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	06/06/2011
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	06/06/2011

---

---

### NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	06/06/2011

---

---

### CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
13	Texas Food Establishment Rules  Page 63 §229.164(o) (9) Time as a public health control. (A) Except as specified under subparagraph (B) of this paragraph, if time only, rather than time in conjunction with temperature, is used as the public health control for a working supply of potentially hazardous food before cooking, or for ready-to-eat potentially hazardous food that is displayed or held for service for immediate consumption: (i) the food shall be marked or otherwise identified to indicate the time that is four hours past the point in time when the food is removed from temperature control;

**CODE****DESCRIPTION**

- (ii) the food shall be cooked and served, served if ready-to-eat, or discarded, within 4 hours from the point in time when the food is removed from temperature control;
- (iii) the food in unmarked containers or packages or marked exceed a four hour limit shall be discarded; and
- (iv) written procedures shall be maintained in the food establishment and made available to the regulatory authority upon request, that ensure compliance with:
  - (I) clauses (i)-(iv) of this subparagraph, and (II) paragraph (4) of this subsection for food that is prepared, cooked, and refrigerated before time is used as a public health control.
  - (B) In a food establishment that serves a highly susceptible population, time only, rather than time in conjunction with temperature, may not be used as the public health control for raw eggs.

Page 139 thru 141

§229.171

(d) HACCP plan requirements.

(1) When a HACCP plan is required.

(A) Before engaging in an activity that requires a HACCP plan, a food establishment shall submit to the regulatory authority for approval a properly prepared HACCP plan as specified under paragraph (2) of this subsection and the relevant provisions of these rules if:

(i) submission of a HACCP plan is required according to law;

(ii) a variance is required as specified under §§229.164(k)(1)(D)(iii) and (p)(1)(A)–(H), or 229.165(f)(10)(B) of this title; or

(iii) the regulatory authority determines that a food preparation or processing method requires a variance based on an inspectional finding or a variance request.

(B) A food establishment shall have a properly prepared HACCP plan as specified under §229.164(o)(2) of this title.

To Wit: The food stored in the RIR and RIF that is located in the food preparation area has been refrigerated for more than 24 hours and is not marked with the day of preparation or the date which the food shall be consumed by. (Corrected 06/06/11)

To Correct: The food stored in the RIR and RIF that is located in the food preparation area that has been refrigerated for more than 24 hours must be marked with the day of preparation and the date which the food shall be consumed by.

24 Texas Food Establishment Rules

Page 77

§229.165(e)

(e) Accuracy of temperature measuring devices, food.

(1) Temperature measuring device, food.

(A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to  $\pm 1$  degrees Celsius in the intended range of use.

(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to  $\pm 2$  degrees Fahrenheit in the intended range of use.

(2) Temperature measuring devices, ambient air and water.

#24

78

§229.165(e) §229.165(f)

(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to  $\pm 1.5$  degrees Celsius in the intended range of use.

(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to  $\pm 3$  degrees Fahrenheit in the intended range of use.

<b>CODE</b>	<b>DESCRIPTION</b>
To Wit:	The reachin refrigerator in the food preparation area did not have a readily available and visible thermometer. (Corrected 06/06/11)
To Correct:	The reachin refrigerator in the food preparation area must have a readily available and visible thermometer. Corrections must be made within before the next inspection..
25	<p>Page 76            §229.165(d)            (d) Cleanability.            (1) Food-contact surfaces. Multiuse food-contact surfaces shall be:            (A) smooth;            (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;            (C) free of sharp internal angles, corners, and crevices;            (D) finished to have smooth welds and joints; and            (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:            (i) without being disassembled;            (ii) by disassembling without the use of tools; or            (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.            (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.            (3) Cleaned in place (CIP) equipment.            (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:            (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and            (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The label was left on the tomatoe lide, microwave, utensil container, and shelving, located in the food preparation area has adhering food or food particles and dust. (Corrected 06/06/11)
To Correct:	The label was left on the tomatoe lide, microwave, utensil container, and shelving, located in the food preparation area must be properly washed, rinsed and sanitized and free of food or food particles and dust. Corrections must be made immediately.

---



---

### **NON-CRITICAL VIOLATIONS DETAIL**

<b>CODE</b>	<b>DESCRIPTION</b>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	Bleach water should be readily available for use at all times. (Corrected 06/06/11)
To Wit:	Need to surface the ends of work counter with non absorbant surface. (Corrected 06/06/11)

---



---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Suzanne McKenzie, PUBLIC HEALTH OFFICER

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME