

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 6401 **INV NO.** 1 **IR NO.** **DATE** 07/12/2010 **INSPECTION TIME** **INSPECTOR** O'Neal, Robbie

SITE INFORMATION
JOHNNIES CHICKEN BOX II
901 DENVER
WICHITA FALLS TX 76301
940-766-6447

INVENTORY/MANAGER
Process 3

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 4 Times per Year

Violations: Critical - 3 Non-Critical - 2 Score: 91

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
17	Handwash Facilities with Soap & Towels	3	_____
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
17	Texas Food Establishment Rules Page 122 §229.167 (e) Handwashing facilities. (1) Minimum number. Handwashing facilities shall be provided as specified under §229.166(g)(1) of this title. (2) Handwashing cleanser, availability. Each handwashing lavatory or group of 2

CODE **DESCRIPTION**

adjacent lavatories shall be provided with a supply of hand cleaning liquid, powder, or bar soap.

(3) Hand drying provision. Each handwashing lavatory or group of adjacent lavatories shall be provided with:

- (A) individual, disposable towels;
- (B) a continuous towel system that supplies the user with a clean towel; or
- (C) a heated-air hand drying device.

To Wit: No hand cleaning material, i.e., liquid, powder or bar soap, is available at the handwash facilities in the men's restroom.

To Correct: Hand cleaning material, i.e., liquid, powder or bar soap, must be available at the handwash facilities in the men's restroom. Corrections must be made immediately.

24 Texas Food Establishment Rules

Page 77

§229.165(e)

(e) Accuracy of temperature measuring devices, food.

(1) Temperature measuring device, food.

(A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use.

(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use.

(2) Temperature measuring devices, ambient air and water.

#24

78

§229.165(e) §229.165(f)

(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use.

(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.

To Wit: The chest/coffin freezer in the food preparation area did not have a readily available and visible thermometer.

To Correct: The chest/coffin freezer in the food preparation area must have a readily available and visible thermometer. Corrections must be made within 7 days.

25 Page 76

§229.165(d)

(d) Cleanability.

(1) Food-contact surfaces. Multiuse food-contact surfaces shall be:

(A) smooth;

(B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;

(C) free of sharp internal angles, corners, and crevices;

(D) finished to have smooth welds and joints; and

(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and

CODE DESCRIPTION

inspection by one of the following methods:
 (i) without being disassembled;
 (ii) by disassembling without the use of tools; or
 (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.
 (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.
 (3) Cleaned in place (CIP) equipment.
 (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:
 (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
 (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: The service utensil located in the grill area has adhering foreign material.

To Correct: The service utensil located in the grill area must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

CODE DESCRIPTION

28 OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: floor needs to be cleaned [grease build-up] kitchen=walk-in=storeage room.

To Wit: need to clean door=and handles of walk-in.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Inspector II

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME