

Food Establishment Inspection Report

Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
7006	1		11/17/2010		O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
KINDER KIDS # 2 FOR UNDER TWO 2006 KELL BLVD WICHITA FALLS TX 76301 940-264-6688	Process 2	Inspection- Regular Inspected 2 Times per Year

Scheduled calender inspections.

Violations: Critical - 2 Score: 92

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
2	Cold Hold (41/45 degrees F)	5	11/17/2010
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
2	<p>Texas food Establishment Rules</p> <p>Page 60 §229.164(o)(6) Potentially hazardous food, hot and cold holding. Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under paragraph (9) of this subsection, and except as specified in subparagraph (B) of this paragraph, potentially hazardous food shall be maintained:</p> <p>(A) at 57 degrees Celsius (135 degrees Fahrenheit) or above, except that roasts cooked to a temperature and for a time specified in subsection (k)(1)(B) of this section or reheated as specified in subsection (m)(2)(E) of this section may be held at a temperature of 54 degrees Celsius (130 degrees Fahrenheit) or above; or</p> <p>(B) at a temperature specified in the following: (i) 5 degrees Celsius (41 degrees Fahrenheit) or less; or (ii) 7 degrees Celsius (45 degrees Fahrenheit) or less in countertop, under-counter and open-top refrigeration units located in the food preparation area that were in use prior to October 6, 2003, provided the food is date marked as specified in paragraphs (7)-(9) of this</p>

CODE **DESCRIPTION**

subsection.

(C) Shell eggs that have not been treated to destroy all viable Salmonellae shall be stored in refrigerated equipment that maintains an ambient air temperature of 7 degrees Celsius (45 degrees Fahrenheit) or less.

To Wit: The unwholesome product is at room temperature with an internal temperature of 70 to 74 degrees F and is not being maintained at 41/45 degrees F or below. (Corrected 11/17/10)

To Correct: Discard the unwholesome product that is not being maintained at 41/45 degrees F or below. Corrections must be made immediately.

24 Texas Food Establishment Rules

Page 77

§229.165(e)

(e) Accuracy of temperature measuring devices, food.

(1) Temperature measuring device, food.

(A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use.

(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use.

(2) Temperature measuring devices, ambient air and water.

#24

78

§229.165(e) §229.165(f)

(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use.

(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.

To Wit: The reach in refrigerator in the customer service area did not have a readily available and visible thermometer.

To Correct: The reach in refrigerator in the customer service area must have a readily available and visible thermometer. Corrections must be made within 7 days.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Inspector II

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME