

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 618 **INV NO.** 1 **IR NO.** **DATE** 02/09/2010 **INSPECTION TIME** **INSPECTOR** Baxter, Mike

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
LITTLE WORLD LEARNING CENTER 403 S AVE D BURKBURNETT TX 76354 940-569-1777	Process 2 - Exempt SUE WADDELL	Permit Inspection Permit Granted Inspected 3 Times per Year

Violations: Critical - 1 Non-Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
15	Equipment Adequate to Maintain Product Temperature	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
15	Texas Food Establishment Rules 229.165(g)(1) - Page 84 (g) Equipment, numbers and capacities. (1) Cooling, heating, and holding capacities. Equipment for cooling and heating food, and holding cold and hot food, shall be sufficient in number and capacity to provide food temperatures as specified under §229.164 of this title.

To Wit: reach in freezer out of order

To Correct: The reach in freezer is to be repaired or replaced .

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	microwave is household grade
To Correct:	When microwave is replaced it is to be replaced with a commercial grade microwave.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME