

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 3815 **INV NO.** 8 **IR NO.** **DATE** 03/30/2011 **INSPECTION TIME** **INSPECTOR** McKenzie, Suzanne

SITE INFORMATION

LOS ALACRANES MOBILE VENDORS
1723 COLLINS AVE
WICHITA FALLS TX 76301
940-767-0153

INVENTORY/MANAGER

Process 2 Mobile; LOS ALACRANES MOBILE #3

SERVICE TYPE/FREQUENCY

Inspection- Regular
Inspected 3 Times per Year

Scheduled calendar inspections.

Violations: Critical - 2 Score: 93

CRITICAL VIOLATIONS SUMMARY

| <u>CODE</u> | <u>DESCRIPTION</u> | <u>POINTS</u> | <u>CORRECTED</u> |
|-------------|--|---------------|------------------|
| 13 | Approved Systems (Time as Public Hlth Control/HACCP Plan) | 4 | 03/30/2011 |
| 24 | Thermometers Provided/Accurate/Properly Calibrated +/- 2 F | 3 | 03/30/2011 |

CRITICAL VIOLATIONS DETAIL

CODE **DESCRIPTION**

13 Texas Food Establishment Rules

Page 63

§229.164(o)

(9) Time as a public health control.

(A) Except as specified under subparagraph (B) of this paragraph, if time only, rather than time in conjunction with temperature, is used as the public health control for a working supply of potentially hazardous food before cooking, or for ready-to-eat potentially hazardous food that is displayed or held for service for immediate consumption:

(i) the food shall be marked or otherwise identified to indicate the time that is four hours past the point in time when the food is removed from temperature control;

(ii) the food shall be cooked and served, served if ready-to-eat, or discarded, within 4 hours from the point in time when the food is removed from temperature control;

(iii) the food in unmarked containers or packages or marked exceed a four hour limit shall be discarded; and

(iv) written procedures shall be maintained in the food establishment and made available to the regulatory authority upon request, that ensure compliance with:

(I) clauses (i)-(iv) of this subparagraph, and (II) paragraph (4) of this subsection for food that is prepared, cooked, and refrigerated before time is used as a public health control.

(B) In a food establishment that serves a highly susceptible population, time only, rather than

CODE **DESCRIPTION**

time in conjunction with temperature, may not be used as the public health control for raw eggs.

Page 139 thru 141

§229.171

(d) HACCP plan requirements.

(1) When a HACCP plan is required.

(A) Before engaging in an activity that requires a HACCP plan, a food establishment shall submit to the regulatory authority for approval a properly prepared HACCP plan as specified under paragraph (2) of this subsection and the relevant provisions of these rules if:

(i) submission of a HACCP plan is required according to law;

(ii) a variance is required as specified under §§229.164(k)(1)(D)(iii) and (p)(1)(A)–(H), or 229.165(f)(10)(B) of this title; or

(iii) the regulatory authority determines that a food preparation or processing method requires a variance based on an inspectional finding or a variance request.

(B) A food establishment shall have a properly prepared HACCP plan as specified under §229.164(o)(2) of this title.

To Wit: The beef product/ that is located in the food prep area has been refrigerated for more than 24 hours and is not marked with the day of preparation or the date which the food shall be consumed by. (Corrected 03/30/11)

To Correct: The beef product/ that is located in the food preparation area that has been refrigerated for more than 24 hours must be marked with the day of preparation and the date which the food shall be consumed by.

24 Texas Food Establishment Rules

Page 77

§229.165(e)

(e) Accuracy of temperature measuring devices, food.

(1) Temperature measuring device, food.

(A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use.

(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use.

(2) Temperature measuring devices, ambient air and water.

#24

78

§229.165(e) §229.165(f)

(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use.

(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.

To Wit: The thermometer in the reachin refrigerator that is located in the food preparation area is broken. (Corrected 03/30/11)

To Correct: The broken thermometer in the reachin refrigerator that is located in the food preparation area must be replaced with a working thermometer. Corrections must be made within before the next inspection..

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME