

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
236	1		12/29/2010		O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
LUBY'S CAFETERIA 1801 9TH ST WICHITA FALLS TX 76301 940-723-6022 Fax 940-723-7963	Process 3	Permit Inspection Permit Granted Inspected 4 Times per Year

Violations: Critical - 4 Non-Critical - 2 Score: 94

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
24	Texas Food Establishment Rules Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or

<u>CODE</u>	<u>DESCRIPTION</u>
	<p>dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use.</p> <p>(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use.</p> <p>(2) Temperature measuring devices, ambient air and water.</p>
24	<p>78</p> <p>§229.165(e) §229.165(f)</p> <p>(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use.</p> <p>(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.</p>
To Wit:	<p>The reachin refrigerator in the food preparation area did not have a readily available and visible thermometer.</p>
To Correct:	<p>The reachin refrigerator in the food preparation area must have a readily available and visible thermometer. Corrections must be made within 7 days.</p>
25	<p>Page 76</p> <p>§229.165(d)</p> <p>(d) Cleanability.</p> <p>(1) Food-contact surfaces. Multiuse food-contact surfaces shall be:</p> <p>(A) smooth;</p> <p>(B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;</p> <p>(C) free of sharp internal angles, corners, and crevices;</p> <p>(D) finished to have smooth welds and joints; and</p> <p>(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:</p> <p>(i) without being disassembled;</p> <p>(ii) by disassembling without the use of tools; or</p> <p>(iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.</p> <p>(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.</p> <p>(3) Cleaned in place (CIP) equipment.</p> <p>(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:</p> <p>(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and</p> <p>(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	<p>The dry good bins located in the storage room has adhering food or food particles.</p>
To Correct:	<p>The dry good bins located in the storage room must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

To Wit: The reachin refrigerator located in the food service/dispensing area is cracked, chipped, bent or broken and cannot be properly cleaned and sanitized.

seal on door

To Correct: The reachin refrigerator located in the food service/dispensing area must be free of cracks, chips, bends or breaks to permit it to be properly cleaned and sanitized. Corrections must be made immediately.

To Wit: The oven located in the kitchen has adhering foreign material.

To Correct: The oven located in the kitchen must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

28 OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: wiping cloths not in sanitizer when not in use

To Wit: need to clean walk-in freezer floor

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME