

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
1048	1		09/02/2011		Railsback, Brian

SITE INFORMATION
NOTRE DAME ELEMENTARY
4060 YORK
WICHITA FALLS TX 76309
940-691-6913

INVENTORY/MANAGER
Process 3 - Exempt

SERVICE TYPE/FREQUENCY
Permit Inspection
Permit Granted
Inspected 4 Times per Year

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	<p>Texas Food Establishment Rules</p> <p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:

(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and

(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

- To Wit: The shelves located in the storage room is cracked, chipped, bent or broken and cannot be properly cleaned and sanitized.
- To Correct: The shelves located in the storage room must be free of cracks, chips, bends or breaks to permit it to be properly cleaned and sanitized. Corrections must be made immediately.
- To Wit: The ice scoop used for preparation or serving in the ice machine are not stored in a manner to prevent contamination of the product.
- To Correct: During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored:
- 1) in the food with handles above the top of the food and the container
 - 2) on a clean portion of the food preparation table or cooking equipment when cleaned and sanitized at the prescribed intervals.
 - 3) in running water of sufficient velocity to wash food particles away.
 - 4) in a clean location if the utensil is used only for a non-potentially hazardous food.
 - 5) in water maintained at 140 degrees F or greater.
- Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME