

Food Establishment Inspection Report



Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO. 5642 **INV NO.** 1 **IR NO.** **DATE** 01/03/2011 **INSPECTION TIME** **INSPECTOR** McKenzie, Suzanne

SITE INFORMATION
 PIZZA HUT
 4311 KEMP BLVD
 WICHITA FALLS TX 76308
 940-692-0731

INVENTORY/MANAGER
 Process 3

SERVICE TYPE/FREQUENCY
 Inspection- Regular
 Inspected 4 Times per Year

Scheduled calender inspections.

Violations: Critical - 2 Score: 94

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
17	Handwash Facilities with Soap & Towels	3	01/03/2011
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	01/03/2011

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
17	<p>Texas Food Establishment Rules</p> <p>Page 122 §229.167 (e) Handwashing facilities. (1) Minimum number. Handwashing facilities shall be provided as specified under §229.166(g)(1) of this title.</p> <p>(2) Handwashing cleanser, availability. Each handwashing lavatory or group of 2 adjacent lavatories shall be provided with a supply of hand cleaning liquid, powder, or bar soap.</p> <p>(3) Hand drying provision. Each handwashing lavatory or group of adjacent lavatories shall be provided with: (A) individual, disposable towels; (B) a continuous towel system that supplies the user with a clean towel; or (C) a heated-air hand drying device.</p> <p>To Wit: No hand drying provisions were available at the handwash facilities in the customer service area. (Corrected 01/03/11)</p> <p>To Correct: Hand drying provisions must be available at the handwash facilities in the customer service</p>

CODE **DESCRIPTION**

area. Corrections must be made immediately.

25 Texas Food Establishment Rules

Page 76

§229.165(d)

(d) Cleanability.

(1) Food-contact surfaces. Multiuse food-contact surfaces shall be:

(A) smooth;

(B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;

(C) free of sharp internal angles, corners, and crevices;

(D) finished to have smooth welds and joints; and

(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:

(i) without being disassembled;

(ii) by disassembling without the use of tools; or

(iii) by easy disassembling with the use of handheld tools

commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.

(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.

(3) Cleaned in place (CIP) equipment.

(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:

(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and

(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit: The WIR/WIF floors located in the food preparation area has adhering food or food particles. (Corrected 01/03/11)

To Correct: The WIR/WIF floors located in the food preparation area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME