

Food Establishment Inspection Report



Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO. 1033 **INV NO.** 2 **IR NO.** **DATE** 05/31/2011 **INSPECTION TIME** **INSPECTOR** McKenzie, Suzanne

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
QUICK STOP 2108 HOLLIDAY WICHITA FALLS TX 76301 940-723-9156	Process 1; ALIM AL MASUD (EFFECTIVE 12-17-2010)	Inspection- Regular Inspected 3 Times per Year

Scheduled calender inspections.

Violations: Critical - 2 Non-Critical - 1 Score: 94

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
23	Approved sewage	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	05/31/2011

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
23	<p>Texas Food Establishment Rules</p> <p>Page 113 §229.166(k) Disposal facility. (1) Approved sewage disposal system. Sewage shall be disposed through an approved facility that is: (A) a public sewage treatment plant; or (B) an individual sewage disposal system that is sized, constructed, maintained, and operated according to law.</p> <p>(2) Other liquid wastes and rainwater. Condensate drainage and other nonsewage liquids and rainwater shall be drained from point of discharge to disposal according to law.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

To Wit: Mop sink in storage area not hooked up to plumbing, water running out into the floor.

- 25 Page 76
 §229.165(d)
 (d) Cleanability.
 (1) Food-contact surfaces. Multiuse food-contact surfaces shall be:
 (A) smooth;
 (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;
 (C) free of sharp internal angles, corners, and crevices;
 (D) finished to have smooth welds and joints; and
 (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:
 (i) without being disassembled;
 (ii) by disassembling without the use of tools; or
 (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.
 (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.
 (3) Cleaned in place (CIP) equipment.
 (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:
 (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
 (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and
- To Wit: The microwave, dusty shelves and canned good dusty located in the customer service area has adhering dirt. (Corrected 05/31/11)
- To Correct: The microwave, dusty shelves and canned good dusty located in the customer service area must be properly washed, rinsed and sanitized and free of dirt. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

28 OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: Restrooms dirty and need to get rid of extention cords that are hanging down walls.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME