

Food Establishment Inspection Report

Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
7107	2		12/22/2010		McKenzie, Suzanne

SITE INFORMATION

RAFTER J
3226FM3 W IOWA PARK
WICHITA FALLS TX 76367
940-447-0236

INVENTORY/MANAGER

Commissary

SERVICE TYPE/FREQUENCY

Inspection- Regular
Inspected 3 Times per Year

Scheduled calendar inspections.

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage (Repeat)	3	12/22/2010

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	<p>Texas Food Establishment Rules</p> <p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment. (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this</p>

CODE **DESCRIPTION**

subsection and shall be designed and constructed so that:
(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and
(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and (Repeat)

To Wit: The warming cabinet located in the food preparation area is cracked, chipped, bent or broken and cannot be properly cleaned and sanitized.

Need to cover exposed insulation with a durable surface that is easily cleanable and sanitizable (Corrected 12/22/10)

To Correct: The warming cabinet located in the food preparation area must be free of cracks, chips, bends or breaks to permit it to be properly cleaned and sanitized. Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Suzanne McKenzie, PUBLIC HEALTH OFFICER

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME