

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
 Public Health District  
 1700 Third Street  
 Wichita Falls, TX 76301  
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
4907	1		06/13/2011		Railsback, Brian

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
RED RIVER RECOVERY CENTER 2501 TAYLOR WICHITA FALLS TX 76309 940-761-3034	Process 3	Inspection- Regular Inspected 4 Times per Year

Scheduled calender inspections.

---



---

**Violations: Non-Critical - 1    Score: 100**

---



---

**NON-CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

**NON-CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
28	Texas Food Establishment Rules
	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit:            Commercial microwave on order

**I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.**

\_\_\_\_\_  
 Brian Railsback, Public Health Officer

\_\_\_\_\_  
 OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
 OWNER / MANAGER PRINT NAME