

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
573	1		11/09/2011		McKenzie, Suzanne

## SITE INFORMATION

SENIOR CITIZENS-RED DOOR/N.  
TEXAS  
1008 BURNETT  
WICHITA FALLS TX 76301  
940-322-6232 Fax 940-322-1751

## INVENTORY/MANAGER

Process 3; NONPROFIT ORD CHG  
10-1-11 SBM

## SERVICE TYPE/FREQUENCY

Inspection- Regular  
Inspected 3 Times per Year

Scheduled calendar inspections.

---



---

**Violations: Critical - 1 Score: 97**

---



---

## CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	11/09/2011

## CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	<p>Texas Food Establishment Rules</p> <p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment. (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this</p>

**CODE**                      **DESCRIPTION**

subsection and shall be designed and constructed so that:  
(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and  
(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and

To Wit:                      The ovens and can opener located in the food preparation area has adhering food or food particles. (Corrected 11/09/11)

To Correct:                      The ovens and can opener located in the food preparation area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

**I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.**

\_\_\_\_\_  
**Suzanne McKenzie, PUBLIC HEALTH OFFICER**

\_\_\_\_\_  
**OWNER / MANAGER SIGNATURE**

\_\_\_\_\_  
**OWNER / MANAGER PRINT NAME**