

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 637 **INV NO.** 1 **IR NO.** **DATE** 11/17/2010 **INSPECTION TIME** **INSPECTOR** Baxter, Mike

SITE INFORMATION SOFIA'S BURRITO SHOP 208 E 3RD ST BURKBURNETT TX 76354 940-569-6283	INVENTORY/MANAGER Process 3	SERVICE TYPE/FREQUENCY Inspection- Regular Inspected 4 Times per Year
---	---------------------------------------	--

Scheduled calendar inspections.

Violations: Critical - 3 Score: 91

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
17	Handwash Facilities with Soap & Towels	3	_____
20	Toxic Items Properly Labeled/Stored/Used	3	_____
21	Manual/Mechanical Warewashing & Sanitizing @ ____ ppm/Temp.	3	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
17	Texas Food Establishment Rules Page 122 §229.167 (e) Handwashing facilities. (1) Minimum number. Handwashing facilities shall be provided as specified under §229.166(g)(1) of this title. (2) Handwashing cleanser, availability. Each handwashing lavatory or group of 2 adjacent lavatories shall be provided with a supply of hand cleaning liquid, powder, or bar soap. (3) Hand drying provision. Each handwashing lavatory or group of adjacent lavatories shall be provided with: (A) individual, disposable towels; (B) a continuous towel system that supplies the user with a clean towel; or (C) a heated-air hand drying device.

<u>CODE</u>	<u>DESCRIPTION</u>
-------------	--------------------

To Wit:	no paper towels at sink
---------	-------------------------

To Correct:	corrected
-------------	-----------

20	Texas Food Establishment Rules
----	--------------------------------

Pages 129 thru 132

§229.168(a) thru (h)

Poisonous or Toxic Materials.

(a) Original containers, identifying information, prominence. Containers of poisonous or toxic materials and personal care items shall bear a legible manufacturer's label.

(b) Working containers, common name. Working containers used for storing poisonous or toxic materials such as cleaners and sanitizers taken from bulk supplies shall be clearly and

individually identified with the common name of the material.

(c) Storage, separation. Poisonous or toxic materials shall be stored so they cannot contaminate food, equipment, utensils, linens, and single-service and single-use articles by:

(1) separating the poisonous or toxic materials by spacing or partitioning; and

(2) Locating the poisonous or toxic materials in an area that is not above food, equipment, utensils, linens, and single-service or single-use articles. This paragraph does not

apply to equipment and utensil cleaners and sanitizers that are stored in warewashing areas for

availability and convenience if the materials are stored to prevent contamination of food, equipment, utensils, linens, and single-service and single-use articles.

(d) Presence and use.

(1) Restriction.

(A) Only those poisonous or toxic materials that are required for the operation and maintenance of a food establishment, such as for the cleaning and sanitizing of

equipment and utensils and the control of insects and rodents, shall be allowed in a food establishment.

(B) Subparagraph (A) of this paragraph does not apply to packaged poisonous or toxic materials that are for retail sale.

(2) Conditions of use. Poisonous or toxic materials shall be:

(A) used according to:

(i) law and these rules;

(ii) manufacturer's use directions included in labeling, and, for a pesticide, manufacturer's label instructions that state that use is allowed in a food establishment;

(iii) the conditions of certification, if certification is required, for use of the pest control materials; and

To Wit:	medicines on food rack above food
---------	-----------------------------------

To Correct:	Corrected
-------------	-----------

21	TFER 229.165(k) thru 229.165(y)
----	---------------------------------

The wash compartment of the sink shall, when used for washing, contain a wash solution mixed according to manufacturer's label instructions. The temperature of the wash solution shall be maintained at not less than 43 degrees C (110 degrees F) unless specified differently by the manufacturer of the washing agent. If a detergent-sanitizer is used without a hot water rinse, the same agent must be used in both the cleaning and sanitizing

CODE**DESCRIPTION**

steps. A chemical sanitizer used in a sanitizing solution shall be used in accordance with EPA approved manufacturer's label use instructions. If hot water is used for sanitizing, the temperature of the water shall be maintained at 77 degrees C (171 degrees F) or above. Warewashing machines, manufacturers' operating instructions.

A warewashing machine and its auxiliary components shall be operated in accordance with the machine's data plate and other manufacturer's instructions.

A warewashing machine's conveyor speed or automatic cycle times shall be maintained accurately timed in accordance with manufacturer's specifications. Mechanical warewashing equipment, hot water sanitization temperatures.

Except as specified in subparagraph (B) of this paragraph, in a mechanical operation, the temperature of the fresh hot water sanitizing rinse as it enters the manifold may not be more than 90 degrees Celsius (194 degrees Fahrenheit), or less than:

for a stationary rack, single temperature machine, 74 degrees Celsius (165 degrees Fahrenheit); or

for all other machines, 82 degrees Celsius (180 degrees Fahrenheit).

The maximum temperature specified under subparagraph (A) of this paragraph does not apply to the high pressure and temperature systems with wand-type, hand-held spraying devices used for the in-place cleaning and sanitizing of equipment such as meat saws. Mechanical warewashing equipment, sanitization pressure.

The flow pressure of the fresh hot water sanitizing rinse in a warewashing machine may not be less than 100 kilopascals (15 pounds per square inch) or more than 170 kilopascals (25 pounds per square inch) as measured in the water line immediately downstream or upstream from the fresh hot water sanitizing rinse control valve.

To Wit: no test strips for checking sanitizer level

To Correct: Need test strips to check sanitizer in water

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Mike Baxter, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME