

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
1075	2		03/02/2010		Railsback, Brian

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
SPRINT24 #202 6642 KELL BLVD WICHITA FALLS TX 76310 940-691-5720	Deli	Inspection- Regular Closed - Food Estab. Inspected 2 Times per Year

---

**Violations: Critical - 3 Score: 90**

---

## CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
14	Water Supply - Approved/Adequate/Hot & Cold Under Pressure	4	_____
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____
26	Posting Consumer Advisories- Heimlich/Raw Shellfish/Bufferet	3	_____

## CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
14	<p>Texas Food Establishment Rules</p> <p>Page 105 thru 106 Water, Plumbing, and Waste. §229.166. (a)-(d) (a) Source. (1) Approved system. Drinking water shall be obtained from an approved source that is: (A) a public water system; or (B) a nonpublic water system that is constructed, maintained, and operated according to law. (2) System flushing and disinfection. A drinking water system shall be flushed and disinfected before being placed in service after construction, repair, or modification and after an emergency situation, such as a flood, that may introduce contaminants to the system. (3) Bottled drinking water. Bottled drinking water used or sold in a food establishment shall be obtained from approved sources in accordance with 21 CFR 129 - Processing and Bottling of Bottled Drinking Water.</p>

<u>CODE</u>	<u>DESCRIPTION</u>
To Wit:	The hot water generation and distribution system is not providing sufficiently heated water to meet the peak hot water demands throughout the food establishment.
To Correct:	The hot water generation and distribution system must provide sufficiently heated water to meet the peak hot water demands throughout the food establishment. Corrections must be made immediately.
24	<p>Texas Food Establishment Rules</p> <p>Page 77</p> <p>§229.165(e)</p> <p>(e) Accuracy of temperature measuring devices, food.</p> <p>(1) Temperature measuring device, food.</p> <p>(A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to <math>\pm 1</math> degrees Celsius in the intended range of use.</p> <p>(B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to <math>\pm 2</math> degrees Fahrenheit in the intended range of use.</p> <p>(2) Temperature measuring devices, ambient air and water.</p> <p>#24</p> <p>78</p> <p>§229.165(e) §229.165(f)</p> <p>(A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to <math>\pm 1.5</math> degrees Celsius in the intended range of use.</p> <p>(B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to <math>\pm 3</math> degrees Fahrenheit in the intended range of use.</p>
To Wit:	The reachin refrigerator in the kitchen did not have a readily available and visible thermometer.
To Correct:	The reachin refrigerator in the kitchen must have a readily available and visible thermometer. Corrections must be made within 14 days.
To Wit:	The reachin refrigerator in the storage room did not have a readily available and visible thermometer.
To Correct:	The reachin refrigerator in the storage room must have a readily available and visible thermometer. Corrections must be made within 14 days.
26	<p>Pages 37, 55 &amp; 154</p> <p>229.164(h); (r) &amp; 173(b) -</p> <p>A card, sign or other effective means of notification shall be displayed to notify customers that clean tableware is to be used upon return to self-service areas. Food establishments which deliver shellfish to a consumer for raw consumption shall inform consumers of the significantly increased risk associated with certain especially vulnerable consumers eating such shellfish in raw or undercooked form. The Heimlich Maneuver Poster shall be in all food service establishments in a place conspicuous to employees or customers.</p>
To Wit:	The Heimlich Maneuver poster is not conspicuously displayed in the facility.
To Correct:	The Heimlich Maneuver poster must be conspicuously displayed in the facility. Corrections must be made within 14 days.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Brian Railsback, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME