

Food Establishment Inspection Report

Wichita Falls - Wichita County
 Public Health District
 1700 Third Street
 Wichita Falls, TX 76301
 940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6018	1		09/23/2011		Railsback, Brian

SITE INFORMATION

SUBWAY
 5131 GREENBRIAR
 WICHITA FALLS TX 76302
 940-766-2377

INVENTORY/MANAGER

Process 2

SERVICE TYPE/FREQUENCY

Permit Inspection
 Permit Granted
 Inspected 3 Times per Year

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

CODE	DESCRIPTION	POINTS	CORRECTED
16	Handwash Facilities Adequate & Access	3	_____

CRITICAL VIOLATIONS DETAIL

CODE	DESCRIPTION
16	Texas Food Establishment Rules

Page 107

§229.166

(h) Plumbing, location and placement.

(1) Handwashing facilities. A handwashing facility shall be located:

(A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and

(B) in, or immediately adjacent to, toilet rooms.

To Wit:

Water temp at hand wash stations are not reaching proper temps 100 degrees

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME