

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
296	1		08/09/2010		Railsback, Brian

SITE INFORMATION
TEXAS BEST BEEF JERKY
7043 SEYMOUR HWY
WICHITA FALLS TX 76308
940-691-3664

INVENTORY/MANAGER
Process 1

SERVICE TYPE/FREQUENCY
Inspection- Regular
Inspected 4 Times per Year

Scheduled calendar inspections.

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	08/09/2010

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
24	Texas Food Establishment Rules Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ±1 degrees Celsius in the intended range of use. (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ±2 degrees Fahrenheit in the intended range of use. (2) Temperature measuring devices, ambient air and water. #24 78 §229.165(e) §229.165(f) (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ±1.5 degrees Celsius in the intended range of use. (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ±3 degrees Fahrenheit in the intended range of use.

CODE **DESCRIPTION**

To Wit: The reachin refrigerator in the food establishment did not have a readily available and visible thermometer. (Corrected 08/09/10)

To Correct: The reachin refrigerator in the food establishment must have a readily available and visible thermometer. Corrections must be made within 7 days.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME