

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 6441 **INV NO.** 1 **IR NO.** **DATE** 10/17/2011 **INSPECTION TIME** **INSPECTOR** O'Neal, Robbie

SITE INFORMATION

THE SPOT
3002 MIDWESTERN PKWY # D
WICHITA FALLS TX 76308
940-692-7768

INVENTORY/MANAGER

Process 2

SERVICE TYPE/FREQUENCY

Permit Inspection
Permit Granted
Inspected 3 Times per Year

Violations: Critical - 2 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	Texas Food Establishment Rules Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution

CODE	DESCRIPTION
	<p>lines for cooking oils, or beverage syrup lines or tubes.</p> <p>(3) Cleaned in place (CIP) equipment.</p> <p>(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:</p> <p>(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and</p> <p>(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The chest/coffin freezer located in the food preparation area has adhering foreign material. need to defrost freezer
To Correct:	The chest/coffin freezer located in the food preparation area must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.
To Wit:	The chest/coffin freezer located in the reachin freezer has adhering food or food particles.
To Correct:	The chest/coffin freezer located in the reachin freezer must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME