

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
34	3		08/04/2011		Railsback, Brian

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
UNITED #516 4516 JACKSBORO HWY WICHITA FALLS TX 76302 940-767-3661 Fax 806-791-6342	Deli	Permit Inspection Permit Granted Inspected 2 Times per Year

Violations: Critical - 1 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
25	<p>Texas Food Establishment Rules</p> <p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment.</p>

CODE	DESCRIPTION
	(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that: (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and
To Wit:	The doors to the hot hold display located in the food service/dispensing area is not properly sanitized.
To Correct:	The doors to the hot hold display located in the food service/dispensing area must be properly sanitized. Corrections must be made immediately. Remove tape from doors and repair door handles.
To Wit:	Lid to flour container is broke and must be repaired

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Brian Railsback, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME