

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 6308 **INV NO.** 1 **IR NO.** **DATE** 05/03/2011 **INSPECTION TIME** **INSPECTOR** O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
VILLAGE BOWLING CENTER, LLC 4022 KEMP BLVD WICHITA FALLS TX 76308 940-696-2695	Process 2	Permit Inspection Permit Granted Inspected 3 Times per Year

Violations: Critical - 1 Non-Critical - 2 Score: 97

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
16	Handwash Facilities Adequate & Access	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
16	Texas Food Establishment Rules Page 107 §229.166 (h) Plumbing, location and placement. (1) Handwashing facilities. A handwashing facility shall be located: (A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and (B) in, or immediately adjacent to, toilet rooms.

To Wit: The handwashing sink in the storage room is used for purposes other than handwashing.

CODE DESCRIPTION

To Correct: The handwashing sink in the storage room must not be used for purposes other than handwashing. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL**CODE DESCRIPTION**

28 Texas Food Establishment Rules

OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.

To Wit: mops stored incorrectly

To Wit: need to up-grade microwave to commerical grade a.s.a.p.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

Robbie O'Neal, Public Health Officer

OWNER / MANAGER SIGNATURE

OWNER / MANAGER PRINT NAME