

Food Establishment Inspection Report



Wichita Falls - Wichita County
Public Health District
1700 Third Street
Wichita Falls, TX 76301
940-761-7800

SITE NO. 6820 **INV NO.** 2 **IR NO.** **DATE** 02/14/2012 **INSPECTION TIME** **INSPECTOR** O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER/OWNER	SERVICE TYPE/FREQUENCY
WILLIE'S PLACE 3135 10TH ST WICHITA FALLS TX 76309 940-224-5831	4 Process 3 Owner: WILLIAM HARMON 940-687-2271	Inspection- Regular Inspected 4 Times per Year

Scheduled calender inspections.

Violations: Critical - 3 Non-Critical - 1 Score: 91

CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
16	Handwash Facilities Adequate & Access	3	_____
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

NON-CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
28	OTHER VIOLATIONS	0	_____

CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
16	<p>Texas Food Establishment Rules</p> <p>Page 107 §229.166 (h) Plumbing, location and placement. (1) Handwashing facilities. A handwashing facility shall be located: (A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and (B) in, or immediately adjacent to, toilet rooms.</p> <p>To Wit: The handwashing sink in the dishwash machine area is inaccessible to food service employees.</p> <p>To Correct: The handwashing sink in the dishwash machine area must be accessible to food service employees. Corrections must be made immediately.</p>
24	<p>Texas Food Establishment Rules</p> <p>Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to ± 1 degrees Celsius in the intended range of use. (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 2 degrees Fahrenheit in the intended range of use. (2) Temperature measuring devices, ambient air and water. #24 78 §229.165(e) §229.165(f) (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to ± 1.5 degrees Celsius in the intended range of use. (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit shall be accurate to ± 3 degrees Fahrenheit in the intended range of use.</p> <p>To Wit: The reachin freezer in the food preparation area did not have a readily available and visible thermometer.</p> <p>To Correct: The reachin freezer in the food preparation area must have a readily available and visible thermometer. Corrections must be made within 7 days.</p>
25	<p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices;</p>

<u>CODE</u>	<u>DESCRIPTION</u>
	<p>(D) finished to have smooth welds and joints; and</p> <p>(E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:</p> <p>(i) without being disassembled;</p> <p>(ii) by disassembling without the use of tools; or</p> <p>(iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.</p> <p>(2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.</p> <p>(3) Cleaned in place (CIP) equipment.</p> <p>(A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:</p> <p>(i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and</p> <p>(ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The can opener located in the food preparation area has adhering foreign material.
To Correct:	The can opener located in the food preparation area must be properly washed, rinsed and sanitized and free of foreign material. Corrections must be made immediately.

NON-CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
28	OTHER VIOLATIONS- REQUIRE CORRECTIVE ACTION , NOT TO EXCEED 90 DAYS OR NEXT INSPECTION, WHICHEVER COMES FIRST.
To Wit:	wiping cloths not kept in sanitizer when not in use
