

**Food Establishment Inspection Report**

Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
6820	2		02/23/2011		Railsback, Brian

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
WILLIE'S PLACE 3135 TENTH WICHITA FALLS TX 76309 940-224-5831	Process 3	Inspection- Regular Inspected 4 Times per Year

Scheduled calender inspections.

---



---

**Violations: Critical - 2 Score: 94**

---



---

**CRITICAL VIOLATIONS SUMMARY**

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
24	Thermometers Provided/Accurate/Properly Calibrated +/- 2 F	3	02/23/2011
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____

**CRITICAL VIOLATIONS DETAIL**

<u>CODE</u>	<u>DESCRIPTION</u>
24	<p>Texas Food Establishment Rules</p> <p>Page 77 §229.165(e) (e) Accuracy of temperature measuring devices, food. (1) Temperature measuring device, food. (A) Food temperature measuring device that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to <math>\pm 1</math> degrees Celsius in the intended range of use. (B) Food temperature measuring device that are scaled only in Fahrenheit shall be accurate to <math>\pm 2</math> degrees Fahrenheit in the intended range of use. (2) Temperature measuring devices, ambient air and water. #24 78 §229.165(e) §229.165(f) (A) Ambient air and water temperature measuring device that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to <math>\pm 1.5</math> degrees Celsius in the intended range of use. (B) Ambient air and water temperature measuring device that are scaled only in Fahrenheit</p>

<b>CODE</b>	<b>DESCRIPTION</b>
	shall be accurate to $\pm 3$ degrees Fahrenheit in the intended range of use.
To Wit:	The reachin freezer in the kitchen did not have a readily available and visible thermometer. (Corrected 02/23/11)
To Correct:	The reachin freezer in the kitchen must have a readily available and visible thermometer. Corrections must be made within 7 days.
25	<p>Page 76            §229.165(d)            (d) Cleanability.            (1) Food-contact surfaces. Multiuse food-contact surfaces shall be:            (A) smooth;            (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;            (C) free of sharp internal angles, corners, and crevices;            (D) finished to have smooth welds and joints; and            (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods:            (i) without being disassembled;            (ii) by disassembling without the use of tools; or            (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches.            (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.            (3) Cleaned in place (CIP) equipment.            (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that:            (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and            (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	The counter located in the kitchen is not properly sanitized.  Remove tin foil from counters
To Correct:	The counter located in the kitchen must be properly sanitized. Corrections must be made immediately.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Brian Railsback, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME