

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

**SITE NO.** 713    **INV NO.** 1    **IR NO.**    **DATE** 09/27/2010    **INSPECTION TIME**    **INSPECTOR** Railsback, Brian

**SITE INFORMATION**  
WORK SERVICES/HOWMET  
6200 N CENTRAL FRWY  
WICHITA FALLS TX 76306

**INVENTORY/MANAGER**  
Process 3

**SERVICE TYPE/FREQUENCY**  
Permit Inspection  
Permit Granted  
Inspected 4 Times per Year

---

---

**Violations: Critical - 1 Score: 97**

---

---

## CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
16	Handwash Facilities Adequate & Access	3	_____

---

---

## CRITICAL VIOLATIONS DETAIL

**CODE**                      **DESCRIPTION**

16                              Texas Food Establishment Rules

Page 107

§229.166

(h) Plumbing, location and placement.

(1) Handwashing facilities. A handwashing facility shall be located:

(A) to allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and

(B) in, or immediately adjacent to, toilet rooms.

To Wit:                      Hand wash sink temporary out of order, Other hand wash sinks in the kitchen can be used.  
Working on correcting the problem.

---

---

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.

\_\_\_\_\_  
Brian Railsback, Public Health Officer

\_\_\_\_\_  
OWNER / MANAGER SIGNATURE

\_\_\_\_\_  
OWNER / MANAGER PRINT NAME